

SAFETY DATA SHEET

This safety data sheet complies with the requirements of 29CFR1910.1200

Formulated Materials | 3010 NW 149th St, Suite 100 | Oklahoma City, OK 73134

FormulatedMaterials.com

EBES1008 Rev.3/27/2019

SECTION 1 - PRODUCT IDENTIFICATION

Product Identifier Elevation Pan Sealant

SDS number EBES1008
Additional Products None
Synonyms None



RECOMMENDED USE OF THE CHEMICAL AND RESTRICTIONS ON USE

Recommended Use Sealant, Coating
Uses advised against No information available

DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Manufacturer/Supplier: Formulated Materials

3010 NW 149th St, Suite 100 Oklahoma City, OK 73134

405.310.1650

EMERGENCY TELEPHONE NUMBER

Emergency Telephone Call CHEMTREC Day or Night: CCN823126

Within USA and Canada: 1-800 424-9300; Outside USA and Canada: 1-703-527-3887

SECTION 2 - HAZARDS IDENTIFICATION (Continues)

CLASSIFICATION

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity Category 1A

LABEL ELEMENTS

Emergency Overview

Signal Word:

Danger

Page 1

Hazard statement:

May cause cancer



Appearance: Viscous Physical state: Liquid Odor: Lime

PRECAUTIONARY STATEMENTS

Prevention Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Use personal protective equipment as required.

Response IF exposed or concerned: Get medical advice/attention.

SECTION 2 - HAZARDS IDENTIFICATION (Continued)

PRECAUTIONARY STATEMENTS

Storage Store locked up

Disposal Disposal should be in accordance with applicable local, regional, national and international laws and regulations.

HAZARDS NOT OTHERWISE CLASSIFIED (HNOC)

Not applicable

OTHER INFORMATION

Unknown acute toxicity 75.568% of the mixture consists of ingredient(s) of unknown toxicity

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

SUBSTANCE MIXTURE

This product is a mixture.

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Common name Sealant and Caulk

Synonyms None

Chemical nature Aqueous solution

Chemical Name	CAS No.	Weight-%	Trade Secret
Calcium Carbonate	1317-65-3	50 - 60%	*
Diisodecyl Pthalate	68515-49-1	10 - 20%	*
Titanium Dioxide	13463-67-7	0 - 10%	*
Vinyltrimethoxysilane	2768-02-7	0 - 10%	*
Quartz	0 - 10%	0 - 10%	*

SECTION 4 - FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

General adviceUnder conditions of normal use, no hazards are anticipated which require special first aid measures.

Eye contact In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Skin contact Wash thoroughly with soap and water. Remove contaminated clothing and shoes. Wash contaminated

clothing before reuse. In the case of skin irritation or allergic reactions see a physician.

Inhalation Move to fresh air in case of accidental inhalation of vapors. If continued difficulty with breathing is

experienced, get medical attention immediately.

Ingestion Not an expected route of exposure. If swallowed, do not induce vomiting. Get medical attention

immediately.

Self-protection of the first aider First aider: Pay attention to self-protection!

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Symptoms May cause skin irritation. May cause eye irritation.

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Note to physiciansTreat symptomatically

SECTION 5 - FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical. Carbon dioxide (CO2). Sand. Use foam or water FOG as a last resort.

Unsuitable extinguishing mediaDo not use a solid water stream as it may scatter and spread fire.

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL

No information available.

Hazardous combustion products Thermal decomposition (burning) may release irritating, corrosive and/or toxic gases, vapors and fumes.

EXPLOSION DATA

Sensitivity to Mechanical Impact Not sensitive.
Sensitivity to Static Discharge Not sensitive.

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Personal precautionsNo action should be taken involving any personal risk or without suitable training. Use personal

protective equipment as required.

Other Information Extremely slippery when spilled.

For emergency respondersUse personal protection recommended in Section 8.

ENVIRONMENTAL PRECAUTIONS

Environmental precautions Avoid release to the environment. Prevent further leakage or spillage if safe to do so.

Prevent product from entering sewers, drains, or waterways. Local authorities should be advised if significant spillages cannot be contained. See Section 12 for additional ecological information.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Methods for containmentContain spillage with non-combustible absorbent material, e.g. sand, earth, diatomaceous earth,

vermiculite.

Methods for cleaning up Pick up the absorbed material (described just above) and transfer to properly labeled containers for

disposal according to local / national regulations (see Section 13).

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

SECTION 7 - HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

Advice on safe handlingUse personal protective equipment as required.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Storage Conditions Keep from freezing. Keep containers tightly closed in a cool, dry, well-ventilated place.

Incompatible materials Strong acids. Strong oxidizing agents.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

Exposure GuidelinesNo ACGIH or OSHA PEL is assigned to this mixture.

Exposure limits for the component materials are shown below.

This product, as supplied, is not believed to contain any hazardous material that exceeds exposure limits

established by OSHA.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Calcium Carbonate 1317-65-3	-	TWA: 15 mg/m3 total dust TWA: 5 mg/m3 respirable fraction (vacated) TWA: 15 mg/m3 total dust (vacated) TWA: 5 mg/m3 respirable fraction	TWA: 10 mg/m3 total dust TWA: 5 mg/m3 respirable dust
Titanium Dioxide 13463-67-7	TWA: 10 mg/m3	TWA: 15 mg/m3 total dust (vacated) TWA: 10 mg/m3 total dust	IDLH: 5000 mg/m3
Quartz 14808-60-7	TWA: 0.025 mg/m3 respirable fraction	(vacated) TWA: 0.1 mg/m3 respirable dust: (30)/(%Si02 + 2) mg/m3 TWA total dust: (250)/(%Si02 + 5) mppcf TWA respirable fraction: (10)/(%Si02 + 2) mg/m3 TWA respirable fraction	IDLH: 50 mg/m3 respirable dust TWA: 0.05 mg/m3 respirable dust

APPROPRIATE ENGINEERING CONTROLS

Engineering ControlsNone under normal outdoor use conditions.

INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing that is resistant to chemical penetration.

Respiratory protection No protective equipment is needed under normal use conditions.

General Hygiene Considerations Wash face, hands and any exposed skin thoroughly after handling. Wash contaminated clothing before reuse.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES (Continues)

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Physical state Liquid

Appearance Viscous Odor Lime

Color Grey Black **Odor threshold** Negligible odor.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES (Continued)

PROPERTY	MALUEO	DELIADIO METUOD
PROPERTY	VALUES	REMARKS-METHOD
рН	Not applicable	
Melting point/freezing point	None / 0 °C None / 32 °F	Melting Point is not applicable. Freezing points are shown.
Boiling point / boiling range	> 100 °C / 212 °F	50 g/I at 23C
Flash point	Not applicable °C / Not applicable °F	Non Flammable
Evaporation rate	The evaporation rate of the water component of this emulsion product is dependent upon: 1) The temperature of the water at the airwater surface; 2) The humidity of the air; 3) The area of the air-water surface; 4) The temperature of the air. No Information available.	No data available. Evaporation rate is dependent upon atmospheric conditions.
Flammability (solid, gas)	Non Flammable.	
Flammability Limit in Air	Non Flammable.	
Upper flammability limit:	Not applicable.	
Lower flammability limit:	Not applicable.	
Vapor pressure	2.33 (kPa)	N/A
Vapor density	5.3	N/A
Specific Gravity	1.6	Water = 1g/m
Water solubility	Dispersible.	
Solubility in other solvents	Soluble in aromatic and aliphatic solvents.	
Partition coefficient	No information available.	No data available.
Autoignition temperature	330 °C / 626 °F	
Decomposition temperature	No information available.	
Kinematic viscosity	No information available.	
Dynamic viscosity	No information available.	
Explosive properties	Not an explosive.	
Oxidizing properties	Not applicable.	
OTHER INFORMATION		
Softening point	Not applicable.	
Molecular weight	No information available.	
VOC Content (%)	Less than 10 g/l	
Density	13.2 lb/gal.	

Not applicable.

Bulk Density

SECTION 10 - STABILITY AND REACTIVITY

REACTIVITY

Not applicable.

CHEMICAL STABILITY

Stable.

POSSIBILITY OF HAZARDOUS REACTIONS

None under normal use.

Hazardous polymerization Hazardous polymerization does not occur.

CONDITIONS TO AVOID

None known for product as a whole.

INCOMPATIBLE MATERIALS

Strong acids. Strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS

Combustion may produce carbon monoxide, carbon dioxide, and other asphyxiants.

SECTION 11 - TOXICOLOGICAL INFORMATION (Continues)

INFORMATION ON LIKELY ROUTES OF EXPOSURE

Product InformationToxicological testing has not been conducted for this product overall. Available toxicological data for

individual ingredients are summarized below.

Inhalation Avoid breathing vapors or mists.

Eye contact Avoid contact with eyes. Contact with eyes may cause irritation.

Skin contact May cause irritation.

Ingestion If swallowed, do not induce vomiting. Get medical attention immediately. Not an expected route of

exposure.

Component Information * No significant exposure to Crystalline Silica (Quartz) is thought to occur during the use of products

in which Crystalline Silica (Quartz) is bound to other materials, such as in paints and coatings. As one reference, see California Office of Health Hazard Assessment at: http://www.oehha.org/prop65/CRNR_

notices/safe_use/sylicasud2.html

The IARC Monograph (Vol93, 2010, Carbon Black, Titanium Dioxide, Talc) states: "No significant exposure

to primary particles of Titanium Dioxide is thought to occur during the use of products in which Titanium

Dioxide is bound to the materials, such as in paints."

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Diisodecyl Pthalate 68515-49-1	> 60000 mg/kg (Rat)	= 16000 mg/kg (Rabbit)	-
Titanium Dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	-
Vinyltrimethoxysilane 2768-02-7	= 7340 μL/kg (Rat)	= 3360 μL/kg (Rabbit)	-
Quartz 14808-60-7	= 500 mg/kg (Rat)	-	-

SECTION 11 - TOXICOLOGICAL INFORMATION (Continued)

INFORMATION ON TOXICOLOGICAL EFFECTS

No information available. **Symptoms**

DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE

Skin corrosion/irritation Can cause skin irritation.

Serious eye damage/eye irritation Irritating to eyes.

Irritation Irritating to eyes and skin.

Corrosivity Not classified

Sensitization May cause sensitization of susceptible persons.

Germ cell mutagenicity This product does not contain any ingredients that cause germ cell mutagenicity.

Carcinogenicity The legend below indicates whether each agency (ACGIH, IARC, NTP, or OSHA) has listed any ingredient

as a carcinogen.

ACGIH (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

A4 - Not Classifiable as a Human Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans Group 3 - Not classifiable as a human carcinogen.

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity None known for product as a whole. **Developmental toxicity** None known for product as a whole.

Teratogenicity None known.

STOT - single exposure No information available. STOT - repeated exposure No information available. **Aspiration hazard** No information available.

NUMERICAL MEASURES OF TOXICITY - PRODUCT INFORMATION

The following values are calculated based on chapter 3.1 of the GHS document. For exterior use only. Do not use indoors.

ATEmix (oral) 25.120.00 ATEmix (dermal) 14,188.00

SECTION 12 - ECOLOGICAL INFORMATION

ECOTOXICITY

The following table lists information related to aquatic toxicity.

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Diisodecyl Pthalate 68515-49-1	1.3: 96 h Pseudokirchneriella subcapitata mg/L EC50	0.66: 96 h Pimephales promelas mg/L LC50 static 1: 96 h Pimephales promelas mg/L LC50 flow-through 1: 96 h Oncorhynchus mykiss mg/L LC50 static 0.62: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.55: 96 h Lepomis macrochirus mg/L LC50 static	0.18: 48 h Daphnia magna mg/L EC50

PERSISTENCE AND DEGRADABILITY

No information available.

BIOACCUMULATION

No information available.

OTHER ADVERSE EFFECTS

No information available

SECTION 13 - DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

Disposal of wastesDisposal should be in accordance with applicable local, regional, national and international laws and

regulations.

Contaminated packaging Do not reuse container

SECTION 14 - TRANSPORT INFORMATION

Note: This material is not subject to regulation as a hazardous material for shipping.

DOT Not regulated.

TDG Not regulated.

MEX Not regulated.

ICAO (air) Not regulated.

IATA Not regulated.

IMDG Not regulated.

RID Not applicable in the United States. Not Regulated.

ADR Not applicable in the United States. Not Regulated.

ADN Not applicable in the United States. Not Regulated.

SECTION 15 - REGULATORY INFORMATION (Continues)

INTERNATIONAL INVENTORIES

TSCA All of the components of this product are listed on the US TSCA (Toxic Substances Control Act) Inventory or are exempt.

DSL/NDSL All of the components of this product are listed on the DSL.

LEGEND:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US FEDERAL REGULATIONS

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 HAZARD CATEGORIES

Acute health hazardNoChronic Health HazardNoFire hazardNoSudden release of pressure hazardNoReactive HazardNo

CWA (CLEAN WATER ACT)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Hazardous Substances
Diisodecyl Pthalate 68515-49-1	-	X	-

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

US STATE REGULATIONS

No information available.

CALIFORNIA PROPOSITION 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65	
Diisodecyl Pthalate 68515-49-1	Developmental	
Titanium Dioxide - 13463-67-7	Carcinogen	
Quartz - 14808-60-7	Carcinogen	

SECTION 15 - REGULATORY INFORMATION (Continued)

U.S. STATE RIGHT-TO-KNOW REGULATIONS

This product contains the following substances regulated by various State Right-to-Know regulations.

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Calcium Carbonate 1317-65-3	X	X	Х
Diisodecyl Pthalate 68515-49-1	-	-	Х
Titanium Dioxide 13463-67-7	X	X	Х
Quartz 14808-60-7	X	X	Х

U.S. EPA LABEL INFORMATION

EPA Pesticide Registration Number Not applicable

SECTION 16 - OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA

Health hazards 1 Flammability 0 Instability 0 Physical and Chemical Properties

HMIS

Health hazards 1 Flammability 0 Physical Hazards 0 Personal protection

Issue Date 02 June 2017 Revision Date 02 June 2017

REVISION NOTE

No information available.

DISCLAIMER

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

